

Saanich's Replacement Tree Process for Developers: Tips and how to get your money back!

Prepare and protect the tree planting areas:

Depending on your project the planting sites may need to be protected during construction or remediated to be able to accommodate new trees. This will be determined via your landscape plan or the tree permit depending on the project scope. Saanich requires adequate soil volume to be provided that will assist the trees' establishment and long-term growth. On-site trees are to meet the Canadian Landscape Standards for tree planting and Saanich Parks requires a minimum available soil volume for boulevard trees of 8 m³ for small class trees, 12 m³ for medium class trees and 16 m³ for large class trees. If sufficient soil volume cannot be provided, soil cells under the adjacent hardscape is the preferred method of providing soil volume.

Step One: Select and Purchase a Tree

For building permits please ensure the tree you purchased is appropriate for its location. For boulevard tree replacements, please refer to your approved plan, or contact Saanich Parks. For Development Permits, refer to the approved landscape plan for species and locations.

The tree(s) must meet the Tree Protection Bylaw No. 9272 (Bylaw) requirements:

- Deciduous
 - Not less than 4 centimeters in diameter
- Coniferous
 - Not less than 3 meters in height

For trees native to our region there are reduced size requirements due to limited commercial availability and to provide an incentive to plant native trees (where appropriate). Please note, cultivar species are not included in the reduced size requirement.



| Tree Species | Minimum acceptable size |
|--|--------------------------------|
| Arbutus (Arbutus menziesii) Big Leaf Maple (Acer macrophyllum) Bitter Cherry (Prunus emarginata) Black Hawthorne (Crataegus douglasii) Garry Oak (Quercus garryana) Pacific Dogwood (Cornus nuttallii) Pacific Yew (Taxus brevifolia) Trembling Aspen (Populus tremuloides) Western Yew (Taxus brevifolia) | 2.5 cm caliper or 1.8 m height |
| Douglas-Fir (Pseudotsuga menziesii) Grand Fir (Abies grandis) Shore Pine (Pinus contorta) Western Red Cedar (Thuja plicata) Western White Pine (Pinus monticola) | 2.2 m in height |

The following are not accepted as replacement trees:

- Tree species planted as a hedge, or hedging species (ex. Smarag'd cedar or equivalent)
- Weeping variety (ex. weeping cherry or equivalent)
- Shrub species (ex. Juniper or laurel)
- Palm trees
- "Dwarf" variety of any tree species

All replacement trees shall be of good health, vigor and structure with no visible signs of disease, insect pests, damage, or other disfigurements. The trees' condition, planting and staking shall comply with the current version of the Canadian Landscape Standards.

Step two: Plant a Tree

Choosing the right place for your replacement tree is an important step in the process. These are the Bylaw requirements for siting your replacement tree:


- 1. If the tree has a mature height of eight meters or less, you must plant the tree at least two meters away from a building foundation wall.
- 2. For trees having a mature height greater than eight meters, you must plant the tree at least three meters away from a building foundation wall.
- 3. Regardless of the mature size of the tree, you must plant the tree at least one meter away from a property line.



Tree Planting Process:

1. Ensure there are no underground utilities or potential above-ground conflicts (i.e., electrical wires) prior to digging.

- Ideally, plant the tree in the fall or early spring when the weather conditions are cool. If this is not possible, ensure the tree is consistently watered during warm temperatures.
- 3. Dig a planting hole that is 2-3 times wider than the root ball of the tree but only as deep as the root ball or pot.
- 4. Remove any materials surrounding the root ball (fabric, wire, etc...) and lightly massage the root ball to loosen the roots.
- 5. Place the tree at the proper height and angle. The trunk flare should be 2.5-5 cm above grade after the tree is planted. Examine the tree from several angles and make sure the tree is sitting straight in the planting hole.
- 6. Fill in the hole with soil gently but firmly. Ensure that the soil is packed around the root ball to stabilize the tree.
- 7. If possible, add a 5-10cm layer of mulch around the tree. Mulching helps suppress weeds and retain moisture. Avoid 'mulch volcanos' by spreading the mulch evenly and do not pile mulch directly against the trunk of the tree.
- 8. Deer typically feed on the young shoots of trees and rub their antlers against the base of small trees. We suggest residents install a tree guard or deer fencing around your trees to protect your tree against damage.
- 9. If necessary, use 2-3 stakes to provide optimal support (see photo for reference). Studies have shown that trees develop stronger trunks and roots if they are not staked, however windy, exposed sites or certain packaging styles (bare root or ball and burlap) may require stakes. Remove stakes after the first year of growth or when trees have rooted and are stable.





Step 3: Getting Your Deposit Back

To get your deposit returned, the tree must be in good health with no visible signs of disease, insect pests, damage, or other disfigurements.

For Building permits:

Once you have planted a replacement tree(s) that meet the criteria in your permit and stated above, you can contact Saanich Parks at (250) 475–5522 or parks@saanich.ca to schedule your tree inspection. Upon inspection and approval, 50% of your deposit will be released. Once it has been a year or more after the first inspection, you can contact Saanich Parks to schedule your second inspection. The second half of the security deposit will be returned after the second inspection if the inspector finds the replacement tree(s) to be in good health.

For Development Permits with Landscape bonds:

Your landscape architect is required to submit a signed schedule C to the Planning department to initiate the landscape bond release process. Saanich Planning will contact Parks to arrange the landscape inspection. After the landscape has been inspected and approved, 90% of the landscape bond can be returned with a standard 10% hold back for one year for tree survival. It is the applicant's responsibility to contact Planning for the final bond release. Please note that Saanich only collects the higher of the Servicing or Landscape Bonds so if there are outstanding Engineering requirements the bond may not be released.